

VIN	YS2P4X20002015144	Vehicle type	Single truck
Factory warranty, valid until	2007-04-26	Bodywork	Fixed platform
Date of entry into service	2006-04-26	Operation	Distribution
Invoice date	2006-03-07	Gross weight in tons	45
Assembly date	2006-02-22	Order number	0248282
Current distributor, country	SE	Order type	S
Invoicing distributor, number	32015	Delivery mode	CBU
Local distributor, number		Status	To enduser
Original distributor, number	40000	POP-ID	59-118

00 General

Assembly level	Completely Build Up	Product class	Truck
Development level	5	Front-wheel drive	No
Axle distance	4500 mm	Steering wheel position	LHD, left hand drive
Chassis width	2600 mm	Chassis adaptation	B, Basic
Truck model	P	Type of transport	D
Duty class	M	Chassis height	N, Normal
Operator's manual language	Swedish	Operator's man extra language	Without
Plate language	English	Axle weight front, technical	7100 kg
Axle load rear, technical	11500 kg	Technical total weight	18600 kg
Legal max axle weight, 1st axle	Without	Legal max axle weight, 2nd axle	Without
Legal max axle weight, 3rd axle	Without	Gross vehicle weight, legal	18501-19000 kg
Gross train weight, technical	44001-45000 kg	Legal, Gross train weight	Without
Preparation for toll collect	Without		

01 Engine

Engine stroke volume	9	Engine type, vehicle	DC9 12 /270 hp
Engine type symbol	DC9 12 L01	Serial. no original	6281790
EGR system	Without	Emission level	Euro 3
Engine management system	S6	Power take-off, engine, prep.	With
PTO ED Control	Supervised activation	Precleaner air intake	Without
Air intake	Front, normal	Air cleaner supplier	Scania 6616
Air cleaner engine, paper area	13 m ²	Noise dampening	80/82 dBA acc to 92/97 EEC
Crankcase ventilation, type	Open	Oil sump material	Aluminium

02 Cooling system

Fan control unit	Electric	Fan, diameter	680 mm
Fan blade quantity	8		

03 Fuel and exhaust systems

Fuel	Diesel	Injection system	PDE
Fuel tank	Right hand side	Fuel volume, right side	300 dm ³
Fuel volume, left side	Without	Fuel tank sectional area	Wide
Fuel tank material	Aluminium	Selective Catalytic Reduction	Without
AdBlue tank	Without	Fuel heater	Without
Fuel tank location	Normal	Fuel tank filler cap	Without safety vent
Fuel filter chassis mounted	Without	Fuel system req acc to FMC/SAE	No
Exhaust outlet, direction	Vertikal	Exhaust silencer execution	Cube
Exhaust silencer heat cover	Without		

04 Clutch

Clutch wear protection	Without	Clutch overload warning	Without
Torque converter	Without		

05 Gearbox

Gearbox	GA751	Serial. no original	0050415
Gearbox management system	Allison	Opticruise	Without
Overdrive	Not valid	Mode selector	Lever
ECU automatic gearbox	Basic vehicle	Gearbox type	Automatic
Transmission sensor constant	6	Oil cooling for gearbox	Without
Retarder	Without	Retarder system	Without
Power take off	EG112	PTO EG electrical preparation	Without
EG-power take off	With	Power take-off, for clutc connection	Without
PTO EG Control	Not valid	Power take-off gear independ.	Without

06 Propeller shaft

Propeller shaft type	P400	Propeller shaft	1030 mm
Prop shaft, intermediate qty.	1 pcs	Intermediate propeller shaft 1	1040 mm

07 Front axle

Front axle, type	AMA860
------------------	--------

08 Rear axle

Rear axle, type	ADA1100	Oil filter rear axle	Without
Axle gear first	R660	Serial. no original	9301918
Rear axle gear ratio	5,57	Differential lock	With
Hub reduction, rear	Without		

09 Hubs and wheels

Wheel, type	Disc	Rim material	Steel
Rim diameter front axle	22.5"	Rim diameter rear axle	22.5"
Rim diameter spare wheel	Without	Rim width front axle	9.00
Rim width rear axle	9.00	Rim width spare wheel	Without
Tyre dimension front axle	295/80 R22.5	Tyre dimension rear axle	295/80 R22.5
Tyre dimension spare wheel	Without	Tyre calc. roll. radius front	Group D= 510 mm
Tyre calc. roll. radius drive	Group D= 510 mm	Tyre rolling circumference driving axle	3250 mm
Front axle tyre rolling circumference	3184 mm	Drive tyre rolling circumference	3184 mm
Tyre supplier front axle	Michelin	Tyre supplier rear axle	Michelin
Tyre, pattern front axle	XZY2 Michelin	Tyre, pattern rear axle	XDY
Tyre load index front axle	152	Tyre load index rear axle	148

10 Brakes

White smoke limiter	With	Wheel brake	Disc
Brake control	Electronic	Brake category	AB
Brake chamber type 1st front	Membrane+spring	Brake chamber area, 1st front	24 in ²
Brake chamber type, 1st rear	Membrane+spring	Brake chamber area 1st rear	24 in ²
ABS/EBS system	4S/4M	Brake management system	EBS5
Air Processing System	Air management	Compressor manufacture	Knorr 600
Interlock valve, parking brake	With	Secondary brake valve	Without
TCM, Trailer Control Module	With	Trailer brake connection	Without
Disengaging parking brake fr.	With	Trailer connector bracket	Without
Trailer brake coupling	With	Trailer hand control valve	Without
Exhaust brake	With	Exhaust brake control	Manual
Retarder	Without	Retarder system	Without
Air tank volume, front	28,8L	Air tank volume, rear	2x28,8L
Air tanks, rubber spacer	Without		

11 Frame

Frame, type	F800	Frame reinforcement	Without
Frame material, yield strength	500 N / mm ²	Chassis colour	Sub grey
Chassis front end width	1020 mm	Dimension JE	1280 mm
Hole pattern for bodywork	Basic pattern	Frame, side member rear end	V
Connection beam,air suspension	Without	Tow beam	Without
Bumper position	High bumper	Bumper protruding	Without
FUP directive	FUP device	Lateral protection	Without

12 Suspension

Suspension system, front	Air	Suspension system rear	Air
Air suspension rear type	2-spring	Air spring height, front	Normal
Level adjustment speed	Fast without extra air tanks	Level adjustment control	Remote truck
Level sensors rear	One	Alt. predefined chassis levels	Without
Axle load display	Rear	Bogie type	Not valid
Anti-roll bar type front	Solid	Anti-roll bar, front	Extra stiffness

13 Steering

Power steering gear	ZF 8098	Serial. no current	193482
Steering gear ratio	17-20:1	Steering system	1-circuit
Hydraulic pump,	LUK	Hydraulic pump flow	16 litre/minute
Hydraulic pump pressure	150 bar	Steering force 70/311 92/62EEC	Yes
Air bag in steering wheel	Without	Steering wheel type	Wood
Adjustable steering wheel	With	Immobiliser	Without

14 Engine control

Speed limiter	With	Speed limitation	85 km/h
---------------	------	------------------	---------

16 Electrical system

Alternator charge	100 A	Battery	175 Ah
Battery box execution	140Ah-180Ah	Battery master switch	Service
Batt master switch maneuvering	Double acting left side frame	Headlamp type	H4
Headlamp asymmetry	Right hand	Visibility system environment	2
Head lamp protection	Without	Headlamp cleaning	With
Headlamp high located	Without	Headlamp levelling	With
Taillamp position	On bracket	Taillamp type	7-chambers
Taillamp cable length	Without extension	Side marker lamps	Temporarily mounted
Spot lamp in ext. sun visor	With	Spot lamp in bumper	With
Visibility system	CUV1	Daytime running light	With
End outline marker lamp	White	Reflector rear acc to ECE-R70	Without
Fog lamp front	With	Foglamp, rear	With
Reversing light	With	Work lamp	Prepared
Beacon	Prepared	Horn	Compressed air
Reverse alarm	Without	Brake pressure lamp test	Without
Trailer electric connector	1x7 pole	Electric engine heater	With
ADR vehicle designation	Without	Electric cables ADR type	Without
Electrical components ground	Chassis grounded	Scania Alert	Without
BWS (body work system)	With	Remote contr engine start	Without
Cable harness for taillift	Without	Cable harness additional switches	With
Cable harness for bodybuilder	7+7+7 pole	Cable h for bodybuilder frame	8 m
Cable h for bodybuilder roof	With	Cable h for status/warn lamp	With

Battery connection bodybuilder	With	Direction indicator activation	2 bulbs front
ESP Electr.Stability Programme	Without		

17 Instruments

Tachograph	Digital Stoneridge	Instrument cluster	Km/h with trip computer
Cruise control switches	Steering wheel	Language data file SW	10 (En/Ge/Sw/Fi/Po/Cz)
Instrument panel	Long curved	Instrument panel passenger side	With lid

18 Cab

Cab type	CP	Cab length	16 dm
Roof height	Low	Serial. no original	2015144
Cab colour	Orange INT62086	Clear varnish	Without
Grille colour	Cab colour	Boarding step to chassis LH	Without
Boarding step front, foldable	Without	Ladder	Without
Step body side	Without	Windscreen	Tinted
Window, rear wall, cab	With	Window side	Right hand
Door window	Double glass	Window winder door	Electrical driver+pass.side
Interior side sun visor	Drivers side	Door panel	Vinyl
Air conditioning	With	Auxiliary heating	Short-stop heater
Climate system control	Automatic	Cab socket 230V	With
Cab suspension	4-point mechanical sprunged	Cab tilting	Mechanical
Roof hatch	Without	Mosquito net in roof	Without
Central locking and alarm	Remote locking	Number of keys/remotes	Two
Roof rail	With	Roof rack	Without
Air deflector	Without	Upholstery seat driver	Vinyl+ textile
Seat category, driver side	Medium	Heating pad driver	With
Adjustable shock absorber driver side	With	Arm rest driver	With
Arm rest passenger	Without	Seating equipment, passenger	Seat
Seat category, passenger side	Static	Adjustable shock absorber passenger side	Without
Upholstery seat passenger	Vinyl+ textile	Heating pad passenger	Without
Red coloured seat belts	Without	Warning signal uncon.seat belt	Lamp and audio signals
Seat belt pretensioner	Without	Radio	Medium with st. wheel controls
Mobile telephone preparation	Without	12V socket in dashboard	Without
Audio system	AUS_M1	CB radio	Without
Horn, compressed air	With	Splash guard, front	With
Bulk cargo fenders, front	Without	Mudguard rear	Without
Spray-suppress. acc 91/226/EEC	Yes	Wheel housing	Normal
Mirror type	With air deflector	Frontview mirror	With
Rear view mirrors, heated	With	Rear view mirror type driver	Spherical EC2003/97
Rear view mirror, passenger	Spherical EC2003/97	Electric mirror adjustment	Pass+driver side
Close up mirror	With	Wide angle mirror	Driver+passenger side
Storage bins doors	With	Rear wall storage	Open

19 Complementary equipment

Fifth wheel	Without	Bracket front mounted equip.	Without
ACL aut. chassis lubrication	Without	Drawbeam	Without
Dimension JA/BEP L020	1500 mm	Trailer electric connector	1x7 pole
Side skirts	Without	Underrun protection	Without
		Argentina regulation	



Chassis serial number: 2015144

Vehicle/engine type: P 270 DB4x2MNB

Underrun protec rear acc EEC Without
Hose for tyre inflation 20 m
Fire extinguisher 1 x 2 kg

Rescue equip. except fire ext. Normal
Spare wheel carrier Without

20 Load carrying bodywork

Tipper body control valve, Without
preparation
Exchange body vehicle No

Bracket for tipper front ram Without

Deviations from original specification (special order)

Special order number
368892

Certificates

Air tanks
04-202-028

Air tanks
04-202-029

Air tanks
12 202 03 12 9006 028

Air tanks
LR 0057/2

Air tanks
LR 0057/4

Anti-theft
e4*74/61*95/56*0211*00

Brakes
E4-13R-090352 EXT.01

Brakes
e4*71/320*2002/78*1492*01

Cab strength
T068FH EXT.12

Cab strength
T069FH EXT.12

Cab strength
T071FH EXT.12

Cab strength
T072FH EXT.12

Cab strength
T077FH EXT. 10

Cab strength
T078FH EXT 10

Cab strength
T117FH EXT.1

Doors and hinges
e4*70/387*2001/31*0121*02

EMC
e4*72/245*95/54*0820*02

Emission
e4*88/77*2001/27A*0334*01

Front underrun protection
e4*2000/40*2000/40*0017*04

Fuel tanks
e4*70/221*2000/8*0417*04

Headlamp cleaners
E4 - 45R - 01059 EXT.02

Lighting
e4*76/756*97/28*0172*01

Noise
e4*70/157*1999/101*1492*00

Power
e4*80/1269*1999/99*0731*01

Rear view mirrors
e4*2003/97/2005/27*2500*00

Registration plate space
e4*70/222*70/222*0135*00

Safety belt anchorages
e4*76/115*96/38*0228*02

Safety belts
e4*77/541*2000/3*0176*02

Safety glazing
e4*92/22*2001/92*0120*01 Corr. Rev.

Seats
e4*74/408*96/37*0216*02

Signal horn
e4*70/388*87/354*0141*00 Corr. Rev.

Smoke
e4*72/306*97/20*0443*01

Speedlimiter
e4*92/94*92/94*0073*01

Speedometer
e4*75/443*97/39*0170*03

Spray suppression
e4*91/226*91/226*0018*00

Steering
e4*70/311*1999/7*0303*01



Chassis serial number: 2015144

Vehicle/engine type: P 270 DB4x2MNB

Certificates

Symbols

e4*78/316*94/53*0140*01

Towing devices

e4*77/389*96/64*0137*02

Tyres

e4*92/23*2005/11*0131*07

Tachograph

-e5-0002-

Type plate

e4*76/114*87/354*0151*02